

Annual Drinking Water Quality Report for 2020
TOWN OF FLEMING
2433 Dublin Road, Auburn, NY 13021
(Public Water Supply ID#0501718)

INTRODUCTION

To comply with State regulations, the Town of Fleming, will be annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or concerning your drinking water, please contact the Town of Fleming at 315-252-8988. We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled Town Board Meetings. The meetings are held on the second Monday of each month, at 6:30 pm at 2433 Dublin Road, Auburn, NY.

WHERE DOES OUR WATER COME FROM?

We purchase our water from the Town of Owasco. Attached is a copy of the Town of Owasco's 2020 Annual Drinking Water Quality Report. However, we do re-chlorinate the water once it is received in the Town of Fleming.

FACTS AND FIGURES

Our water system serves approximately 850 customers. Fleming water customers were charged a minimum rate of \$25.00 for up to 4000 gals, then \$3.50/1000 gals.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As the State regulations require, we routinely test our drinking water for numerous contaminants. These contaminants include: total coliform, lead and copper, total trihalomethanes, and haloacetic acids. The table presented below depicts which compounds were detected in your drinking water. The State allows us to test for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not your drinking water meets health standards. It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the Cayuga County Health Department (315-253-1405).

Table of Detected Contaminants							
Contaminant	Violation Yes/No	Date of Sample	Level Detected (Avg/Max) (Range)	Unit Measurement	MCL	MCL/G	Sources in Drinking Water
TRICHALOMETHANES	Yes	02/12/2020 05/12/2020 08/12/2020 11/10/2020	26.4-80.3 Average 81 ³	ug/l	80	N/A	By product of drinking water chlorination needed to kill harmful organisms. TTHMs are formed when source water contains large amounts of organic matter
HALOACETIC ACIDS	No	02/12/2020 05/12/2020 08/12/2020 11/10/2020	9-61.2 Average 53	ug/l	60	N/A	By product of drinking water chlorination needed to kill harmful organisms. TTHMs are formed when source water contains large amounts of organic matter
LEAD	No	09/05/2018	<1-2.8 2.5 ¹	ug/L	AL -15	0	Corrosion of household plumbing systems; erosion of natural deposits
COPPER	No	09/05/2018	0.090-0.52 0.47 ²	mg/L	AL - 1.3	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

¹The level presented represents the 90th percentile of the 10 sites tested. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the values detected at your water system. In this case, ten samples were collected at your water system and the 90th percentile value was the ninth highest value (2.5 ug/L). The action level was not exceeded at any of the sites tested.

²The level presented represents the 90th percentile of the 10 sites tested. The 90th percentile value was the ninth highest value (0.47 mg/l). The action level was not exceeded at any of the sites tested.

³This level represents the highest locational running annual average calculated from data collected. Please see "What Does This Information Mean?" section below.

Definitions:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCL/Gs as feasible.

Maximum Contaminant Level Goal (MCL/G): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCL/Gs allow for a margin of safety.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Milligrams per liter (mg/l): Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l): Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

WHAT DOES THIS INFORMATION MEAN?

The table shows that our system uncovered some problems this year. We exceeded the maximum contaminant level for total trihalomethanes during the second quarter of 2020. The potential adverse health effects are that some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer. We have corrected this by increasing the frequency of flushing water mains and modifying chlorination practices in an effort to reduce the amount of chlorine added to the water.

We are required to present the following information on lead in drinking water: If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. The Town of Fleming is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at <http://www.epa.gov/safewater/lead>.

Annual Drinking Water Quality Report for 2020
Town of Owasco
2 Bristol Avenue, Auburn, New York 13021
Public Water Supply ID#0501721

INTRODUCTION

To comply with State regulations, the Town of Owasco, will be annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your tap water met all State drinking water health standards. We are proud to report that our system did not violate a maximum contaminant level or any other water quality standard. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or concerning your drinking water, please contact John Carter, Water Supervisor at 315-253-3284. We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled town board meetings. The meetings are held on the second Thursday of each month at 4:00 p.m. at the town hall on 2 Bristol Avenue.

WHERE DOES OUR WATER COME FROM?

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Our water source is Owasco Lake and is located in Cayuga County. During 2020, our system did not experience any restriction of our water source. The water flows to the lower pump station from a line that is 450 feet out into the lake. The intake structure is located at a depth of 45 feet. The Town also protects its' raw water intake pipe from zebra mussels by adding potassium permanganate. From the lower pumping station the water is pumped from a 16 inch or 8 inch line to the filter plant where it is pre-chlorinated and polymer is added (ED461). It then goes to the Microfloc Trident System (TR-210 A), there it is post chlorinated prior to distribution. During the 2017 season, a Granular Activated Carbon filter system was built to help treat for microcystin, the toxin associated with Harmful Algae Blooms (HAB).

The NYS Department of Health has completed a source water assessment for the Town of Owasco, based on available information. Possible and actual threats to this drinking water source were evaluated. This source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how easily contaminants can move through the sub-surfaces to the lakes. The susceptibility rating is an estimate of the potential for contamination of the water source. It does not mean that the water delivered to consumers is, or will become, contaminated.

(See the section of this document “Are there contaminants in our drinking water?” for a list of the contaminants that have been detected in the drinking water.)

As mentioned before, our water is derived primarily from Owasco Lake. The source water assessment has rated this source as having an elevated susceptibility to protozoa and phosphorus due to the amount of agricultural land in the assessment area and the quantity of wastewater discharged from municipal wastewater treatment plants to surface water. In addition, this source water assessment rated Owasco Lake as having an elevated susceptibility to pesticide contamination due to the amount of agricultural land.

County and state health departments will use this information to direct future source water protection activities. These may include water quality monitoring, resource management, planning, and education programs. A copy of the complete assessment is available for review by calling the Cayuga County Health Department at 315-253-1405.

FACTS AND FIGURES

Our water system serves 3000 people in the Town of Owasco with 1607 service connections and our water serves the Town of Fleming. The total water produced in 2020 was 172,016,723 gallons. The daily average of water treated and pumped into the distribution system was 469,910 gallons per day. Our highest single day was 837,324 gallons. The amount of water delivered to customers was 148,852,109 gallons and the metered filtered/flushed backwash totaled 9,975,761 gallons. This leaves an unaccounted for total of 13,188,853 gallons. This water was used to flush mains, fight fires, the sewer jetter, water main breaks and through leakage, accounting for the remaining water produced (7.6 percent of the total amount produced). In 2020, water customers in the Town of Owasco were charged an average of \$4.41 per 1000 gallons of water and the annual average water charge was \$251.61.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As the State regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include: total coliform, turbidity, inorganic compounds, nitrate, nitrite, lead and copper, volatile organic compounds, total trihalomethanes, haloacetic acids, radiological and synthetic organic compounds.

The table presented below depicts which compounds were detected in your drinking water. The State allows us to test for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA’s Safe Drinking Water Hotline (800-426-4791) or the Cayuga County Health Department at 315-253-1405.

TOWN OF OWASCO

Table of Detected Contaminants

Contaminant	Violation Yes/No	Date of Sample	Level Detected (Avg/Max) (Range)	Unit Measurement	MCL	MCL/G	Likely Source of Contamination
BARIUM, TOTAL	No	11/18/20	0.023	mg/l	2	2	Discharge of drilling wastes; discharge from metal refineries, Erosions of natural deposits
NICKEL, TOTAL	No	11/18/20	<0.001	mg/L	N/A	0	Geological; used in electroplating, battery production, ceramics
SULFATE (AS SO4)	No	11/18/20	11.8	mg/L	250	n/a	Naturally occurring
SODIUM	No	11/18/20	15.7	mg/L	No limit	N/A	Naturally occurring; road salt; water softeners; animal waste
ARSENIC, TOTAL	No	11/18/20	<0.001	mg/L	0.010	N/A	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes; and leaching from grannular activated carbon.
TRIHALOMETHANES	No	2/12/20 5/13/20 8/12/20 11/10/20	Range 29.4-72.7 Average 67	ug/l	80	N/A	By product of drinking water chlorination needed to kill harmful organisms. TTHMs are formed when source water contains large amounts of organic matter
Haloacetic Acids	No	2/12/20 5/13/20 8/12/20 11/10/20	Range 16.2-61.7 Average 54	ug/L	60	N/A	By product of drinking water chlorination needed to kill harmful organisms.
DALAPON	No	2/13/20 5/14/20 8/13/20 11/12/20	<0.001 <0.001 <0.001 <0.001	mg/l mg/l mg/l mg/l	50	N/A	Runoff from herbicide used on rights of way
Chemical							

PH	No	Daily	7.09-8.41 SU				
COPPER	No	9/10/19	0.64 ² 0.042-0.66	mg/L	AL -1.3	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
LEAD	No	9/10/19	5 ³ <1-12	ug/L	AL -15	0	Corrosion of household plumbing systems; erosion of natural deposits
NITRATE – (AS N)	No	11/18/20	0.90	mg/L	10	10	Run off from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
GROSS ALPHA	No	12/8/16	0.556	pCi/L	5	0	Erosion of natural deposits.
Physical	Owasco Lake						
Turbidity (NTU)¹	No	Daily	0.038-0.115 AVG-0.0594	NTU	TT=95% of samples less than 0.3 ntu	N/A	Soil Runoff
Turbidity (NTU)¹ (in distribution system)	No	Daily	0.166-0.275 AVG-0.225	NTU	TT=<5 NTU	N/A	Soil Runoff
Cyanotoxin							
Microcystin Finished water	No	8/11/20-11/2/20	ND	ppb	N/A ⁴	0	Naturally occurring due to algae blooms
Microcystin Raw Water	No	8/11/20-11/2/20	ND-0.38	ppb	N/A	N/A	Naturally occurring due to algae blooms

The Table below lists contaminants that were tested for but not detected

Contaminant	Violation Yes/No	Date of Sample	Level Detected (Avg/Max) (Range)	Unit Measurement	MCL	MCL/G	Sources in Drinking Water
ANTIMONY – TOTAL	No	11/18/20	<0.001	mg/L			
ASBESTOS	No	11/17/20	<0.69	MFL			
BERYLLIUM, TOTAL	No	11/18/20	<0.001	mg/L			
CADMIUM, TOTAL	No	11/18/20	<0.001	mg/L			
CHROMIUM - TOTAL	No	11/18/20	<0.001	mg/L			
CYANIDE , TOTAL	No	11/18/20	<0.004	mg/L			

FLUORIDE	No	11/18/20	<0.10	mg/L			
MERCURY, TOTAL	No	11/18/20	<0.0002	mg/L			
SELENIUM, TOTAL	No	11/18/20	<0.002	mg/L			
THALLIUM, TOTAL	No	11/18/20	<0.001	mg/L			
RADIUM 228	No	8/19/13	<1	pCi/L			
1,4-DIOXANE	No	11/5/20	<0.4	ug/L			
PERFLUOROCTANE SULFONIC ACID (PFOS)	No	11/5/20	<0.0018	ug/L			
PERFLUOROCTANOIC ACID (PFOA)	No	11/5/20	<0.0018	ug/L			
BENZENE	No	11/18/20	<0.50	ug/l			
BROMOBENZENE	No	11/18/20	<0.50	ug/l			
BROMOCHLOROMETHANE	No	11/18/20	<0.50	ug/l			
BROMODICHLOROMETHANE	No	11/18/20	<0.50	ug/L			
BROMOFORM	No	11/18/20	<0.50	ug/L			
BROMOMETHANE	No	11/18/20	<0.50	ug/l			
N-BUTYLBENZENE	No	11/18/20	<0.50	ug/l			
sec-BUTYLBENZENE	No	11/18/20	<0.50	ug/l			
TERT-BUTYLBENZENE	No	11/18/20	<0.50	ug/l			
CARBON TETRACHLORIDE	No	11/18/20	<0.50	ug/l			
CHLOROBENZENE	No	11/18/20	<0.50	ug/l			
CHLOROETHANE	No	11/18/20	<0.50	ug/l			
CHLOROFORM	No	11/18/20	<0.50	ug/L			
CHLOROMETHANE	No	11/18/20	<0.50	ug/l			
2-CHLOROTOLUENE	No	11/18/20	<0.50	ug/l			
4-CHLOROTOLUENE	No	11/18/20	<0.50	ug/l			
ISOPROPYLBENZENE (Cumene)	No	11/18/20	<0.50	ug/l			
4-ISOPROPYLTOLUENE (p-Cymene)	No	11/18/20	<0.50	ug/l			
CIS-1,3- DICHLOROPROPENE	No	11/18/20	<0.50	ug/l			
DIBROMOCHLOROMETHANE	No	11/18/20	<0.50	ug/L			
DIBROMOMETHANE	No	11/18/20	<0.50	ug/l			
1,2 -DIBROMOETHANE (EDB)	No	12/8/16	<0.01	ug/l			

DIBROMO-3-CHLOROPROPANE	No	9/28/15	<0.01	ug/l			
1,2-DICHLOROBENZENE	No	11/18/20	<0.50	ug/l			
1,3-DICHLOROBENZENE	No	11/18/20	<0.50	ug/l			
1,4-DICHLOROBENZENE	No	11/18/20	<0.50	ug/l			
DICHLORODIFLUOROMETHANE	No	11/18/20	<0.50	ug/l			
CIS-1,2-DICHLOROETHENE	No	11/18/20	<0.50	ug/l			
1,1-DICHLOROETHANE	No	11/18/20	<0.50	ug/l			
1,2-DICHLOROETHANE	No	11/18/20	<0.50	ug/l			
1,1-DICHLOROETHENE	No	11/18/20	<0.50	ug/l			
TRANS-1,2-DICHLOROETHENE	No	11/18/20	<0.50	ug/l			
1,2-DICHLOROPROPANE	No	11/18/20	<0.50	ug/l			
1,3-DICHLOROPROPANE	No	11/18/20	<0.50	ug/l			
2,2-DICHLOROPROPANE	No	11/18/20	<0.50	ug/l			
1,1-DICHLOROPROPENE	No	11/18/20	<0.50	ug/l			
TRANS-1,3-DICHLOROPROPENE	No	11/18/20	<0.50	ug/l			
ETHYLBENZENE	No	11/18/20	<0.50	ug/l			
HEXACHLOROBUTADIENE	No	11/18/20	<0.50	ug/l			
METHYLENE CHLORIDE	No	11/18/20	<0.50	ug/l			
Methyl-tert-Butyl Ether (MTBE)	No	9/28/15	<0.5	ug/l			
NAPHTHALENE	No	11/18/20	<0.50	ug/l			
N-PROPYLBENZENE	No	11/18/20	<0.50	ug/l			
STYRENE	No	11/18/20	<0.50	ug/l			
TOLUENE	No	11/18/20	<0.50	ug/l			
TRICHLOROETHENE	No	11/18/20	<0.50	ug/l			
TRICHLOROFLUOROMETHANE	No	11/18/20	<0.50	ug/l			
1,1,1,2-TETRACHLOROETHANE	No	11/18/20	<0.50	ug/l			
1,1,2,2-TETRACHLOROETHANE	No	11/18/20	<0.50	ug/l			
TETRACHLOROETHENE	No	11/18/20	<0.50	ug/l			
1,2,3-TRICHLOROBENZENE	No	11/18/20	<0.50	ug/l			
1,2,4-TRICHLOROBENZENE	No	11/18/20	<0.50	ug/l			
1,1,2-TRICHLOROETHANE	No	11/18/20	<0.50	ug/l			

1,2,3-TRICHLOROPROPANE	No	11/18/20	<0.50	ug/l			
1,2 Dibromo-3-chloropropane	No	10/3/19	<0.00002	mg/l			
1,2-Dibromoethane (EDB)	No	10/3/19	<0.00001	mg/l			
Trifluralin	No	9/28/15	<0.5	ug/L			
1,2,4-TRIMETHYLBENZENE	No	11/18/20	<0.50	ug/l			
1,3,5-TRIMETHYLBENZENE	No	11/18/20	<0.50	ug/l			
1,1,1-TRICHLOROETHANE	No	11/18/20	<0.50	ug/l			
VINYL CHLORIDE	No	11/18/20	<0.50	ug/l			
M/P XYLENE	No	11/18/20	<1.00	ug/l			
O-XYLENE	No	11/18/20	<0.50	ug/l			
Aldicarb Sulfoxide	No	10/3/19	<0.50	ug/l			
Aldicarb Sulfone	No	10/3/19	<0.80	ug/l			
Oxamyl	No	10/3/19	<1.0	ug/l			
Methomyl	No	10/3/19	<1.0	ug/l			
3 – Hydroxycarbofuran	No	10/3/19	<1.0	ug/l			
Aldicarb (Temik)	No	10/3/19	<0.50	ug/l			
Propoxur	No	9/28/15	<1.0	ug/L			
Carbofuran	No	10/3/19	<0.90	ug/l			
Carbaryl (Sevin)	No	10/3/19	<1.0	ug/l			
Methiocarb	No	9/28/15	<1.0	ug/L			
Hexachlorocyclopentadiene (C-56)	No	10/3/19	<0.0001	mg/l			
Propachlor	No	10/3/19	<0. 01	mg/l			
Trifluralin	No	9/28/15	<0.5	ug/L			
Hexachlorobenzene	No	10/3/19	<0.0001	mg/l			
HCH,Alpha	No	9/28/15	<0.5	ug/l			
Gamma-BHC (Lindane)	No	10/3/19	<0.00002	mg/l			
HCH,Beta	No	9/28/15	<0.5	ug/l			
HCH,Delta	No	9/28/15	<0.5	ug/l			
Heptachlor	No	10/3/19	<0.00004	mg/l			
Aldrin	No	10/3/19	<0.001	mg/l			
Heptachlor Epoxide	No	10/3/19	<0.00002	mg/l			
Endosulfan I	No	9/28/15	<0.5	ug/l			

4,4' – DDE	No	9/28/15	<0.5	ug/l			
Dieldrin	No	10/3/19	<0.001	mg/l			
Endrin	No	10/3/19	<0.00001*	mg/l			
4,4'-DDD	No	9/28/15	<0.5	ug/l			
Endosulfan II	No	9/28/15	<0.5	ug/l			
4,4' – DDT	No	9/28/15	<0.5	ug/l			
Endrin Aldehyde	No	9/28/15	<0.5	ug/l			
Endosulfan Sulfate	No	9/28/15	<0.5	ug/l			
Methoxychlor	No	10/3/19	<0.0001	mg/l			
Toxaphene	No	10/3/19	<0.001	mg/l			
Chlordane, Total	No	10/3/19	<0.00002	mg/l			
Mirex	No	9/28/15	<0.5	ug/l			
Aroclor 1016	No	10/3/19	<0.0001	mg/l			
Aroclor 1221	No	10/3/19	<0.0001	mg/l			
Aroclor 1232	No	10/3/19	<0.0001	mg/l			
Aroclor 1242	No	10/3/19	<0.0001	mg/l			
Aroclor 1248	No	10/3/19	<0.0001	mg/l			
Aroclor 1254	No	10/3/19	<0.0001	mg/l			
Aroclor 1260	No	10/3/19	<0.0001	mg/l			
Dicamba	No	2/13/20	<0.01	mg/l			
		5/14/20	<0.01	mg/l			
		8/13/20	<0.01	mg/l			
		11/12/20	<0.01	mg/l			
2,4-D	No	2/13/20	<0.0001	mg/l			
		5/14/20	<0.0001	mg/l			
		8/13/20	<0.0001	mg/l			
		11/12/20	<0.0001	mg/l			
Pentachlorophenol	No	2/13/20	<0.00004	mg/l			
		5/14/20	<0.00004	mg/l			
		8/13/20	<0.00004	mg/l			
		11/12/20	<0.00004	mg/l			
Silvex (2,4,5-TP)	No	2/13/20	<0.0002	mg/l			
		5/14/20	<0.0002	mg/l			
		8/13/20	<0.0002	mg/l			
		11/12/20	<0.0002	mg/l			

2,4,5-T	No	9/28/15	<0.1	ug/l			
Dinoseb	No	2/13/20	<0.0002	mg/l			
		5/14/20	<0.0002	mg/l			
		8/13/20	<0.0002	mg/l			
		11/12/20	<0.0002	mg/l			
2,4-DB (Butoxone)	No	9/28/15	<1.0	ug/l			
Picloram (Tordon)	No	2/13/20	<0.0001	mg/l			
		5/14/20	<0.0001	mg/l			
		8/13/20	<0.0001	mg/l			
		11/12/20	<0.0001	mg/l			
Acifluorfen	No	9/28/15	<0.2	ug/l			
Acetone	No	9/28/15	<10.0	ug/l			
Methyl Ethyl Ketone	No	9/28/15	<10.0	ug/l			
Methyl Isobutyl Ketone	No	9/28/15	<10.0	ug/l			
PESTICIDES							
EPTC (Eptam)	No	10/31/12	<1.0	ug/l			
BUTYLATE (Sutan)	No	10/31/12	<1.0	ug/l			
DEET	No	10/31/12	<1.0	ug/l			
ATRAZINE	No	10/3/19	<0.0001	mg/l			
DISULFOTON (Di-Syston)	No	10/31/12	<1.0	ug/l			
DIAZINON (Spectracide)	No	10/31/12	<1.0	ug/l			
ALACHLOR (Lasso)	No	10/3/19	<0.0001	mg/l			
METHYL PARATHION	No	10/31/12	<1.0	ug/l			
METOLACHLOR	No	10/3/19	<0.01	mg/l			
BUTACHLOR	No	10/3/19	<0.01	mg/l			
bis(2-Ethylhexyl)adipate	No	10/3/19	<0.0006	mg/l			
Bis(2-Ethylhexyl)phthalate	No	10/3/19	<0.0006	mg/l			
METRIBUZIN	No	10/3/19	<0.01	mg/l			
SIMAZINE	No	10/3/19	<0.0001	mg/l			
Benzo(a)pyrene	No	10/3/19	<0.00002	mg/l			
Physical							
Color	No	Daily	<5	Units			
Odor	No	Daily	No Odor Present				

As per NELAC regulation, disclosure of the following condition is required: * The result of the laboratory control sample was less than the established limit.

1 – Turbidity is a measure of the cloudiness of the water. We test it because it is a good indicator of the effectiveness of our filtration system. Our highest single turbidity measurement (0.098 NTU) for the year occurred on June 26th. State regulations require that turbidity must always be below 1 NTU. The regulations require that 95% of the turbidity samples collected have measurements below 0.3 NTU.

2 – The level presented represents the 90th percentile of the 10 sites tested. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the copper values detected at your water system. In this case, ten samples were collected at your water system and the 90th percentile value was the second highest value, 0.64 mg/l. The action level for copper was not exceeded at any of the sites tested.

3 – The level presented represents the 90th percentile of the 10 samples collected. The action level for lead was not exceeded at any of the 10 sites tested.

4 – The United States Environmental Protective Agency’s 10 day health advisory level for microcystin is 0.3 ppb for children less than or equal to 5 years of age and vulnerable populations and 1.6 ppb for all other people.

Definitions:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Level 1 Assessment: A Level 1 assessment is an evaluation of the water system to identify potential problems and determine, if possible, why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is an evaluation of the water system to identify potential problems and determine, if possible, why an *E. coli* MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

Non-Detects (ND): Laboratory analysis indicates that the constituent is not present.

Nephelometric Turbidity Unit (NTU): A measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Milligrams per liter (mg/l): Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l): Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Nanograms per liter (ng/l): Corresponds to one part of liquid to one trillion parts of liquid (parts per trillion - ppt).

Picograms per liter (pg/l): Corresponds to one part per of liquid to one quadrillion parts of liquid (parts per quadrillion – ppq).

Picocuries per liter (pCi/L): A measure of the radioactivity in water.

Millirems per year (mrem/yr): A measure of radiation absorbed by the body.

Million Fibers per Liter (MFL): A measure of the presence of asbestos fibers that are longer than 10 micrometers.

WHAT DOES THIS INFORMATION MEAN?

As you can see by the table, our system had no violations. We have learned through our testing that some contaminants have been detected, however, these contaminants were detected below the level allowed by the State.

We are required to present the following information on lead in drinking water:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. The Town of Owasco is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at <http://www.epa.gov/safewater/lead>.

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

During 2020, our system was in compliance with applicable State drinking water operating, monitoring and reporting requirements.

DO I NEED TO TAKE SPECIAL PRECAUTIONS?

Although our drinking water met or exceeded state and federal regulations, some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

WHY SAVE WATER AND HOW TO AVOID WASTING IT?

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- ◆ Saving water saves energy and some of the costs associated with both of these necessities of life;
- ◆ Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- ◆ Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential firefighting needs are met.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- ◆ Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- ◆ Turn off the tap when brushing your teeth.
- ◆ Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- ◆ Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.
- ◆ Use your water meter to detect hidden leaks. Simply turn off all taps and water using appliances, then check the meter after 15 minutes. If it moved, you have a leak.

SYSTEM IMPROVEMENTS

In 2020, work continued on the permanent installation of the Granulated Carbon Filters, The installation will be completed this year. The Town also installed variable speed drives on District 2 pumps. Several customers were removed from an old six inch line and connected to the new 12 inch line. The Town of Owasco continues to be busy and progressive in making improvements to our system.

CLOSING

Thank you for allowing us to continue to provide your family with quality drinking water this year. We ask that all our customers help us protect our water sources, which are the heart of our community. Please call our office if you have questions.